

# OptiPrep™ Mini-Review MM03

## Macromolecules and macromolecular complexes

- ◆ This Mini-Review lists the published papers that report the use of OptiPrep™ for the density gradient purification and analysis principally of DNA, RNA and proteins, and their complexes. All sections and subsections are listed alphabetically.
- ◆ Note also the following OptiPrep™ Application Sheets that provide detailed protocols for the purification and analysis of certain macromolecules and macromolecular complexes:
- ◆ Application Sheet M06: Plasmid DNA purification
- ◆ Application Sheet M09: Protein complex formation, cytoskeleton, microtubules, myosin II, prion proteins
- ◆ Application Sheet M11: Protein size analysis in pre-formed gradients
- ◆ Application Sheet M13: Nucleic acids and nucleic acid-protein complexes
- ◆ Application Sheet M14: Protein size analysis in self-generated gradients

These may be accessed from the OptiPrep™ Applications flash drive or from the following website: [www.axis-shield-density-gradient-media.com](http://www.axis-shield-density-gradient-media.com), click on “Methodology” then “Macromolecules” to open up the “Macromolecules and Macromolecular Complex Index”. Other OptiPrep™ Application Sheets on the preparation of self-generated gradients and harvesting of gradients may also be accessed from the top of the Index.

### List of research topics

The papers are listed (alphabetically by first author) under the following six broad topic headings:

1. **DNA**
2. **Mitochondrial DNA/RNA**
3. **Proteins, protein oligomerization and protein complex formation**
4. **Ribonucleoproteins and RNA**
5. **Vesicles (laboratory synthesized)**
6. **Therapeutic use of polymers/surfactants**

Each topic may be further divided into more specific research areas

### 1. DNA

#### 1.1 Binding to polymer particles

**Singh, M.,** Ugozzoli, M., Briones, M., Kazzaz, J., Soenawan, E. and O’Hagan, D. T. (2003) *The effect of CTAB concentration in cationic PLG microparticles on DNA adsorption and in vivo performance* *Pharmaceut, Res.*, **20**, 247-251

#### 1.2 Centrosomes

**Zhao, Z.,** Oh, S., Li, D., Ni, D., Pirooz, S.D., Lee, J-H., Yang, S., Lee, J-Y., Ghozalli, I., Costanzo, V., Stark, J.M. and Liang, C. (2012) *A dual role for UVRAG in maintaining chromosomal stability independent of autophagy* *Dev. Cell* **22**, 1001–1016

#### 1.3 Chromatin

**Magalska, A.,** Schellhaus, A.K., Moreno-Andrés, D., Zanini, F., Schooley, A., Sachdev, R., Schwarz, H., Madlung, J. and Antonin, W. (2014) *RuvB-like ATPases function in chromatin decondensation at the end of mitosis* *Developmental Cell*. **31**, 305–318

#### 1.4 Detection by PCR

**Periyannan Rajeswaria, P.K.,** Soderberg, L.M., Yacoub, A., Leijon, M., Andersson Svahna, H. and Joensson, H.N. (2017) *Multiple pathogen biomarker detection using an encoded bead array in droplet PCR* *J. Microbiol. Meth.*, **139**, 22-28

#### 1.5 DNA Encapsulation

**Perrault, S.D.** and Shih, W.M., (2014) *Virus-inspired membrane encapsulation of DNA nanostructures to achieve in vivo stability* *ACS Nano*. **8**, 5132–5140

**Perrault, S.D.** and Shih, W.M. (2017) *Lipid membrane encapsulation of a 3D DNA nano octahedron in 3D*

DNA nanostructure: Methods and Protocols, Methods in Molecular Biology, **1500** (ed. Ke, Y. and Wang, P.) Springer Science+Business Media New York 2017, pp 165-184

### 1.6 DNA replication

**García-Gómez, S.**, Reyes, A., Martínez-Jiménez, M.I., Chocrón, E.S., Mourón, S., Terrados, G., Powell, C., Salido, E., Méndez, J., Holt, I.J. and Blanco, L. (2013) *PrimPol, an archaic primase/ polymerase operating in human cells* Mol. Cell, **52**, 541-553

### 1.7 Plasmid DNA purification

**Rickwood, D.** and Patel, N. (1996) *Isolation of plasmid DNA* Mol. Biol. Cell, **7**, 162a

## 2. Mitochondrial DNA/RNA

### 2.1 DNA

**Gerhold, J.M.**, Cansiz-Arda, S., Löhmus, M., Engberg, O., Reyes, A., van Rennes, H., Sanz, A., Holt, I.J., Cooper, H.M. and Spelbrink, J.N. (2015) *Human mitochondrial DNA-protein complexes attach to a cholesterol-rich membrane structure* Sci. Rep., **5**: 15292

**Rajala, N.**, Gerhold, J.M., Martinsson, P., Klymov, A. and Spelbrink, J.N. (2014) *Replication factors transiently associate with mtDNA at the mitochondrial inner membrane to facilitate replication* Nucleic Acids Res., **42**, 952-967

**Reyes, A.**, He, J., Mao, C.C., Bailey, L.J., Di Re, M., Sembongi, H., Kazak, L., Dzionek, K., Holmes, J.B., Cluett, T.J., Harbour, M.E., Fearnley, I.M., Crouch, R.J., Conti, M.A., Adelstein, R.S., Walker, J.E. and Holt, I.J. (2011) *Actin and myosin contribute to mammalian mitochondrial DNA maintenance* Nucleic Acids Res., **39**, 5098-5108

### 2.2 Mitochondrial isolation for nucleic acid studies

**Lee, K-W.** and Bogenhagen, D.F. (2016) *Scalable isolation of mammalian mitochondria for nucleic acid and nucleoid analysis* In Mitochondrial DNA: Methods and Protocols, **1351** (ed. McKenzie, M.), Springer Science+Business Media, LLC, pp 67-79

### 2.3 Mitochondrial ribosome assembly

**Lee, K-W.**, Okot-Kotber, C., LaComb, J.F. and Bogenhagen, D.F. (2013) *Mitochondrial ribosomal RNA (rRNA) methyltransferase family members are positioned to modify nascent rRNA in foci near the mitochondrial DNA nucleoid* J. Biol. Chem., **288**, 31386–31399

**Rosa, I.D.**, Durigon, R., Pearce, S.F., Rorbach, J., Hirst, E.M.A., Vidoni, S., Reyes, A., Brea-Calvo, G., Minczuk, M., Woellhaf, M.W., Herrmann, J.M., Huynen, M.A., Holt, I.J. and Spinazzola, A. (2014) *MPV17L2 is required for ribosome assembly in mitochondria* Nucleic Acids Res., **42**, 8500–8515

### 2.4 Nucleoids

**Bogenhagen, D.F.**, Martin, D.W. and Koller, A. (2014) *Initial steps in RNA processing and ribosome assembly occur at mitochondrial DNA nucleoids* Cell Metab., **19**, 618–629

**Di Re, M.**, Sembongi, H., He, J., Reyes, A., Yasukawa, T., Martinsson, P., Bailey, L.J., Goffart, S., Boyd-Kirkup, J.D., Wong, T.S., Fersht, A.R., Spelbrink, J.N. and Holt, I.J. (2009) *The accessory subunit of mitochondrial DNA polymerase  $\gamma$  determines the DNA content of mitochondrial nucleoids in human cultured cells* Nucleic Acids Res., **37**, 5701–5713

**He, J.**, Mao, C.-C., Reyes, A., Sembongi, H., Di Re, M., Granycome, C., Clippingdale, A.B., Fearnley, I.M., Harbour, M., Robinson, A.J., Reichelt, S., Spelbrink, J.N., Wlaker, J.E. and Holt, I.J. (2007) *The AAA<sup>+</sup> protein ATAD3 has displacement loop binding properties and is involved in mitochondrial nucleoid organization* J. Cell Biol., **176**, 141-146

**He, J.**, Cooper, H.M., Reyes, A., Di Re, M., Sembongi, H., Litwin, T.R., Gao, J., Neuman, K.C., Fearnley, I.M., Spinazzola, A., Walker, J.E. and Holt, I.J. (2012) *Mitochondrial nucleoid interacting proteins support mitochondrial protein synthesis* Nucleic Acids Res., **40**, 6109–6121

**He, J.**, Cooper, H.M., Reyes, A., Di Re, M., Kazak, L., Wood, S.R., Mao, C.C., Fearnley, I.M., Walker, J.E. and Holt, I.J. (2012) *Human C4orf14 interacts with the mitochondrial nucleoid and is involved in the biogenesis of the small mitochondrial ribosomal subunit* Nucleic Acids Res., **40**, 6097–6108

### 2.5 Reverse transcriptase

**Sharma, N.K.**, Reyes, A., Green, P., Caron, M.J., Bonini, M.G., Gordon, D.M., Holt, I.J. Hertzog Santos, J. (2012) *Human telomerase acts as a hTR-independent reverse transcriptase in mitochondria* Nucleic Acids Res. **40**, 712-725

## 2.6 RNA/DNA hybrids

**Kazak, L., Reyes, A., He, J., Wood, S.R., Brea-Calvo, G., Holen, T.T. and Holt, I.J. (2013) *A cryptic targeting signal creates a mitochondrial FEN1 isoform with tailed R-loop binding properties* PLoS One, **8**: e62340**

## 2.7 Translation initiation

**Kazak, L., Reyes, A., Duncan, A.L., Rorbach, J., Wood, S.R., Brea-Calvo, G., Gammage, P.A., Robinson, A.J., Minczuk, A.M. and Holt, I.J. (2013) *Alternative translation initiation augments the human mitochondrial proteome* Nucleic Acids Res., **41**, 2354–2369**

## 3 Proteins, protein oligomerization and protein complex formation

### 3.1 Actin-cofilin rods

**Ishikawa-Ankerhold, H.C., Daszkiewicz, W., Schleicher, M. and Müller-Taubenberger, A. (2017) *Actin-interacting protein 1 contributes to intranuclear rod assembly in Dictyostelium discoideum* Sci. Rep., **7**: 40310**

**Minamide, L.S., Maiti, S., Boyle, J.A., Davis, R.C., Coppinger, J.A., Bao, Y., Huang, T.Y., Yates, J., Bokoch, G.M. and Bamberg, J.R. (2010) *Isolation and characterization of cytoplasmic cofilin-actin rods* J. Biol. Chem., **285**, 5450-5460**

### 3.2 $\beta$ -Amyloid peptide

#### 3.2.1 Aggregation

**Brener, O., Dunkelmann, T., Gremer, L., van Groen, T., Mirecka, E.A., Kadish, I., Willuweit, A., Kutzsche, J., Jürgens, D. et al (2015) *QIAD assay for quantitating a compound's efficacy in elimination of toxic  $\beta$  oligomers* Sci. Rep., **5**: 13222**

**Frenzel, D., Glück, J.M., Brener, O., Oesterhelt, F., Nagel-Steger, L., and Willbold, D. (2014) *Immobilization of homogeneous monomeric, oligomeric and fibrillar  $\beta$  species for reliable SPR measurements* PLoS One, **9**: e89490**

**Funke, S.A., van Groen, T., Kadish, I., Bartnik, D., Nagel-Steger, L., Brener, O., Sehl, T., Batra-Safferling, R., Moriscot, C., Schoehn, G., Horn, A.H.C., Müller-Schiffmann, A., Korth, C., Sticht, H. and Willbold, D. (2010) *Oral treatment with the D-enantiomeric peptide D3 improves the pathology and behavior of Alzheimer's disease transgenic mice* ACS Chem. Neurosci., **1**, 639–648**

**Funke, S.A., Liu, H., Sehl, T., Bartnik, D., Brener, O., Nagel-Steger, L., Wiesehan, K. and Willbold, D. (2012) *Identification and characterization of an  $\beta$  oligomer precipitating peptide that may be useful to explore gene therapeutic approaches to Alzheimer disease* Rejuvenation Res., **15**, 144-147**

**Klein, A.N., Ziehm, T., Tusche, M., Buitenhuis, J., Bartnik, D., Boeddrich, A., Wiglenda T., Wanker, E., Funke, S.A. et al (2016) *Optimization of the All-D Peptide D3 for  $\beta$  Oligomer Elimination* PLoS One, **11**, e015035**

**Levy, M., Porat, Y., Macharach, E., Shalev, D.E. and Gazit, E. (2008) *Phenolsulfophthalein but not phenolphthalein inhibits amyloid fibril formation: implications for the modulation of amyloid self-assembly* Biochemistry, **47**, 5896-5904**

**Lockhart, A., Ye, L., Judd, D.B., Merritt, A.T., Lowe, P.N., Morgenstern, J.L., Hong, G., Gee, A.D. and Brown, J. (2005) *Evidence for the presence of three distinct binding sites for the thioflavin T class of Alzheimer's disease PET imaging agents on  $\beta$ -amyloid peptide fibrils* J. Biol. Chem., **280**, 7677-7684**

**Rudolph, S., Klein, A.N., Tusche, M., Schlosser, C., Elfgen, A., Brener, O., Teunissen, C., Gremer, L., Funke, S.A., Kutzsche, J. and Willbold, D. (2016) *Competitive mirror image phage display derived peptide modulates amyloid beta aggregation and toxicity* PLoS One, **11**: e0147470**

**Rzepeck, P., Nagel-Steger, L., Feuerstein, S., Linne, U., Molt, O., Zadnarski, R., Aschermann, K., Wehner, M., Schrader, T. and Riesner, D. (2004) *Prevention of Alzheimer's disease-associated  $\beta$  aggregation by rationally designed nonpeptidic  $\beta$ -sheet ligands* J. Biol. Chem., **279**, 47497-47505**

**Sehlin, D., Englund, H., Simu, B., Karlsson, M., Ingelsson, M., Nikolajeff, F., Lannfelt, L. and Pettersson, F.E. (2012) *Large aggregates are the major soluble  $\beta$  species in AD brain fractionated with density gradient ultracentrifugation* PLoS One, **7**: e32014**

**Stöhr, J., Watts, J.C., Mensinger, Z.L., Oehler, A., Grillo, S.K., DeArmond, S.J., Prusiner, S.B. and Giles, K. (2012) *Purified and synthetic Alzheimer's amyloid beta ( $\beta$ ) prions* Proc. Natl. Acad. Sci. USA, **109**, 11025-11030**

**Thomaier, M., Gremer, L., Dammers, C., Fabig, J., Neudecker, P. and Willbold, D. (2016) *High-affinity binding of monomeric but not oligomeric amyloid- $\beta$  to ganglioside GM1 containing nanodiscs* Biochemistry **2016**, **55**, 6662–6672**

**Ward, R.V., Jennings, K. H., Jepras, R., Neville, W., Owen, D. E., Hawkins, J., Christie, G., Dabis, J. B., George, A., Karran, E. H. and Howlett, D. R. (2000) *Fractionation and characterization of oligomeric, protofibrillar and fibrillar forms of  $\beta$ -amyloid peptide* Biochem. J., **348**, 137-144**

**Ziehm, T., Brener, O., van Groen, T., Kadish, I., Frenzel, D., Tusche, M., Kutzsche, J., Reiß, K., Gremer, L.,**

Nagel-Steger, L. and Willbold, D. (2016) *Increase of positive net charge and conformational rigidity enhances the efficacy of D-enantiomeric peptides designed to eliminate cytotoxic A $\beta$  species* ACS Chem. Neurosci., **7**, 1088-1096

### 3.2.2 LDL binding

Yeh, F.L., Wang, Y., Tom, I., Gonzalez, L.C. and Sheng, M. (2016) *TREM2 binds to apolipoproteins, including APOE and CLU/APOJ, and thereby facilitates uptake of amyloid-Beta by microglia* Neuron **91**, 328–340

### 3.2.3 Metal nanoparticle binding

Streich, C., Akkari, L., Decker, C., Bormann, J., Rehbock, C., Muller-Schiffmann, A., Niemeyer, F.C., Nagel-Steger, L. et al (2016) *Characterizing the effect of multivalent conjugates composed of A $\beta$ -specific ligands and metal nanoparticles on neurotoxic fibrillar aggregation* ACS Nano, **10**, 7582-7597

### 3.3 Apolipoproteins

Fukuhara, T., Wada, M., Nakamura, S., Ono, C., Shiokawa, M. et al (2014) *Amphipathic  $\alpha$ -helices in apolipoproteins are crucial to the formation of infectious hepatitis C virus particles* PLoS Pathog., **10**, e1004534

Oliveira, C., Fournier, C., Descamps, V., Morel, V., Scipione, C.A., Romagnuolo, R., Koschinsky, M.L., Boullier, A., Marcelo, P. et al (2017) *Apolipoprotein(a) inhibits hepatitis C virus entry through interaction with infectious particles* Hepatology, **65**, 1851-1864

### 3.4 Chaperonin purification

Large, A.T., Kovacs, E. and Lund, P.A. (2002) *Properties of the chaperonin complexes from the halophilic archaeon Haloferax volcanii* FEBS Lett., **532**, 309-312

### 3.5 Circadian clock PERIOD complex

Padmanabhan, K., Robles, M.S., Westerling, T. and Weitz, C.J. (2012) *Feedback regulation of transcriptional termination by the mammalian circadian clock PERIOD complex* Science, **337**, 599-602

### 3.6 Collagen-bound von Willebrand factor, affinity for factor VIII

Bendetowicz, A.V., Wise, R.J. and Gilbert, G.E. (2000) *Collagen-bound von Willebrand factor has reduced affinity for factor VIII* J. Biol. Chem., **274**, 12300-12307

### 3.7 Cry protein crystal binding

Nair, M.S., Lee, M.M., Bonnegarde-Bernard, A., Wallace, J.A., Dean, D.H., Ostrowski, M.C., Burry, R.W., Boyaka, P.N. and Chan, M.K. (2015) *Cry protein crystals: a novel platform for protein delivery* PLoS One, **10**: e0127669

### 3.8 Cytoskeleton: see also “Myosin II, non-muscle, cellular contractile system”

Betschinger, J., Eisenhaber, F. and Knoblich, J.A. (2005) *Phosphorylation-induced autoinhibition regulates the cytoskeletal protein lethal (2) giant larvae* Curr. Biol., **15**, 276-282

Chen, Q., Peto, C.A., Shelton, G.D., Mizisin, A., Sawchenko, P.E. and Schubert, D. (2009) *Loss of modifier of cell adhesion reveals a pathway leading to axonal degeneration* J. Neurosci., **29**, 118-130

Lin, W-H., Nelson, S.E., Hollingsworth, R.J. and Chung, C.Y. (2010) *Functional roles of VASP phosphorylation in the regulation of chemotaxis and osmotic stress response* Cytoskeleton, **67**, 259–271

### 3.9 Drosophila lipophorin-protein interactions

Brankatschk, M. and Eaton, S. (2010) *Lipoprotein particles cross the blood–brain barrier in Drosophila* J. Neurosci., **30**, 10441–10447

Eugster, C., Panáková, D., Mahmoud, A. and Eaton, S. (2007) *Lipoprotein-heparan sulfate interactions in the Hh pathway* Devel. Cell, **13**, 57-71

Palm, W., Swierczynska, M.M., Kumari, V., Ehrhart-Bornstein, M., Bornstein, S.R. and Eaton, S. (2013) *Secretion and signaling activities of lipoprotein-associated hedgehog and non-sterol-modified hedgehog in flies and mammals* PLoS Biol., **11**: e1001505

### 3.10 Factor VIII binding

Gilbert, G.E., Novakovic, V.A., Shi, J., Rasmussen, J. and Pipe, S.W. (2015) *Platelet binding sites for factor VIII in relation to fibrin and phosphatidylserine* Blood, **126**, 1237-1244

### 3.11 *Francisella tularensis* secretion sheath

Clemens, D.L., Ge, P., Lee, B-Y., Horwitz, M.A. and Zhou, Z.H. (2015) *Atomic structure of T6SS reveals interlaced array essential to function* Cell, **160**, 940–951

Hedgehog proteins see “3.9 *Drosophila* lipophorin-protein interactions”

### 3.12 Hep B surface antigen

Czarnota, A., Tyborowska, J., Peszyńska-Sularz, G., Gromadzka, B., Bieńkowska-Szewczyk, K. and Grzyb, K. (2016) *Immunogenicity of Leishmania-derived hepatitis B small surface antigen particles exposing highly conserved E2 epitope of hepatitis C virus* Microb. Cell Fact, **15**: 62

### 3.13 Hensin

Vijayakumar, S., Peng, H. and Schwartz, G.J. (2013) *Galectin-3 mediates oligomerization of secreted hensin using its carbohydrate-recognition domain*. Am. J. Physiol. Renal Physiol., **305**, F90–F99

### 3.14 Kinesin-related motor protein

Rashid, D.J., Bononi, J., Tripet, B.P., Hodges, R.S. and Pierce, D.W. (2005) *Monomeric and dimeric states exhibited by the kinesin-related motor protein KIF1A* J. Pept. Res., **65**, 538-549

### 3.15 Microtubules

MacCormick, M., Modersheim, T., van der Salm, L.W M., Moore, A., Pryor, S.C., McCaffrey, G. and Grimes, M.L. (2005) *Distinct signaling particles containing ERK/MEK and B-Raf in PC12 cells* Biochem. J., **387**, 155-164

### 3.16 Molecular weight determination

Basi, N.S. and Rebois, V. (1997) *Rate zonal sedimentation of proteins in one hour or less* Anal. Biochem., **251**, 103-109

Kesimer, M., Makhov, A.M., Griffith, J.D., Verdugo, P. and Sheehan, J.K. (2010) *Unpacking a gel-forming mucin: a view of MUC5B organization after granular release* Am. J. Physiol. Lung Cell Mol. Physiol., **298**, L15–L22

### 3.17 Mucin

Kesimer, M., Makhov, A.M., Griffith, J.D., Verdugo, P. and Sheehan, J.K. (2010) *Unpacking a gel-forming mucin: a view of MUC5B organization after granular release* Am. J. Physiol. Lung Cell Mol. Physiol., **298**, L15–L22

### 3.18 Myocilin interactions

Wentz-Hunter, K., Ueda, J. and Yue, B.Y.J.T. (2002) *Protein interactions with myocilin* Invest. Ophthalmol. Vis. Sci., **43**, 176-182

### 3.19 Myosin II, non-muscle, cellular contractile system

Shutova, M., Yang, C., Vasiliev, J.M. and Svitkina, T. (2012) *Functions of nonmuscle myosin II in assembly of the cellular contractile system* PLoS One, **7**: e40814

### 3.20 Paromyxovirus F<sub>cysteine</sub> protein oligomerization

Brindley, M.A., Plattet, P. and Plemper, R.K. (2014) *Efficient replication of a paramyxovirus independent of full zippering of the fusion protein six-helix bundle domain* Proc. Natl. Acad. Sci., USA, **111**, E3795–E3804

### 3.21 Prion proteins

Aguilar-Calvo, P., Xiao, X., Bett, C., Eraña, H., Soldau, K., Castilla, J., Nilsson, K.P.R., Surewicz, W.K. and Sigurdson, C.J. (2017) *Post-translational modifications in PrP expand the conformational diversity of prions in vivo* Sci. Rep., **7**: 43295

Bett, C., Lawrence, J., Kurt, T.D., Orru, C., Aguilar-Calvo, P., Kincaid, A.E., Surewicz, W.K., Caughey, B., Wu, C. and Sigurdson, C.J. (2017) *Enhanced neuroinvasion by smaller, soluble prions* Acta Neuropath. Comm., **5**: 32

Coleman, B.M., Harrison, C.F., Guo, B., Masters, C.L., Barnham, K.J., Lawson, V.A. and Hill, A.F. (2014) *Pathogenic mutations within the hydrophobic domain of the prion protein lead to the formation of protease-sensitive prion species with increased lethality* J. Virol., **88**, 2690-2703

Herrmann, U.S., Schütz, A.K., Shirani, H., Huang, D., Saban, D., Nuvolone, M., Li, B., Ballmer, B., Åslund, A.K.O. et al (2015) *Structure-based drug design identifies polythiophenes as antiprion compounds* Sci. Transl.

*Med.*, **7**, 299ra123

**Laferrère, F.**, Tixador, P., Moudjou, M., Chapuis, J., Sibille, P., Herzog, L., Reine, F., Jaumain, E., Laude, H., Rezaei, H. and Béringue, V. (2013) *Quaternary structure of pathological prion protein as a determining factor of strain-specific prion replication dynamics* PLoS Pathog., **9**: e1003702

**Leske, H.**, Hornemann, S., Herrmann, U.S., Zhu, C., Dametto, P., Li, B., Laferrère, F., Polymenidou, M., Pelczar, P. et al (2017) *Protease resistance of infectious prions is suppressed by removal of a single atom in the cellular prion protein* PLoS One, **12**: e0170503

**Sigurdson, C.J.**, Joshi-Barr, S., Bett, C., Winson, O., Manco, G., Schwarz, P., Rüllicke, T., Nilsson, P.R., Margalith, I., Raeber, A., Peretz, D., Hornemann, S., Wüthrich, K. and Aguzzi, A. (2011) *Spongiform encephalopathy in transgenic mice expressing a point mutation in the  $\beta 2$ - $\alpha 2$  loop of the prion protein* J. Neurosci., **31**, 13840–13847

**Sim, V.L.** and Caughey, B. (2009) *Ultrastructures and strain comparison of under-glycosylated scrapie prion fibrils* Neurobiol. Aging, **30**, 2031–2042

**Terry, C.**, Wenborn, A., Gros, N., Sells, J., Joiner, S., Hosszu, L.L.P., Tattum, M.H., Panico, S., Clare, D.K., Collinge et al (2016) *Ex vivo mammalian prions are formed of paired double helical prion protein fibrils* Open Biol., **6**: 160035

**Tixador, P.**, Herzog, L., Reine, F., Jaumain, E., Chapuis, J., Le Dur, A., Laude, H. and Béringue, V. (2010) *The physical relationship between infectivity and prion protein aggregates is strain-dependent* PLoS Pathogens, **6**: e1000859

**Wenborn, A.**, Terry, C., Gros, N., Joiner, S., D'Castro, L., Panico, S., Sells, J., Cronier, S., Linehan, J.M., Brandner, S., Saibil, H.R., Collinge, J. and Wadsworth, J.D.F. (2015) *A novel and rapid method for obtaining high titre intact prion strains from mammalian brain* Sci. Rep. **5**: 10062

### 3.22 Serine/threonine kinase complex analysis

**Diedrich, B.**, Rigbolt, K.T.J., Röring, M., Herr, R., Kaeser-Pebernard, S., Gretzmeier, C., Murphy, R.F., Brummer, T. and Dengjel, J. (2017) *Discrete cytosolic macromolecular BRAF complexes exhibit distinct activities and composition* EMBO J., **36**, 647-663

### 3.23 SNARE proteins

**Xu, W.**, Nathwani, B., Lin, C., Wang, J., Karatekin, E., Pincet, F., Shih, W. and Rothman, J.E. (2016) *A programmable DNA origami platform to organize SNAREs for membrane fusion* J. Am. Chem. Soc. **138**, 4439–4447

### 3.17 $\alpha$ -Synuclein

**Lee, H-J.** and Lee, S-J. (2002) *Characterization of cytoplasmic  $\alpha$ -synuclein aggregates* J. Biol. Chem., **277**, 48976-48983

### 3.18 Tau filaments

**Khlistunova, I.**, Biernat, J., Wang, Y., Pickhardt, M., von Bergen, M., Gazova, Z., Mandelkow, E. and Mandelkow, E-M. (2006) *Inducible expression of Tau repeat domain in cell models of tauopathy* J. Biol. Chem., **281**, 1205-1214

**Li, T.** and Paudel, H.K. (2016) *14-3-3 $\zeta$  Mediates tau aggregation in human neuroblastoma M17 cells* PLoS One, **11**: e0160635

**Mocanu, M-M.**, Nissen, A., Eckermann, K., Khlistunova, I., Biernat, J., Drexler, D., Petrova, O., Schönin, K., Bujard, H., Mandelkow, E., Zhou, L., Rune, G. and Mandelkow, E-M. (2008) *The potential for  $\beta$ -structure in the repeat domain of Tau protein determines aggregation, synaptic decay, neuronal loss and coassembly with endogenous Tau in inducible mouse models of Tauopathy* J. Neurosci., **16**, 737-748

## 4 Ribonucleoproteins and RNA

### 4.1 Micro-RNA

**Detzer, A.**, Engel, C., Wünsche, W. and Sczakiel, G. (2011) *Cell stress is related to re-localization of Argonaute 2 and to decreased RNA interference in human cells* Nucleic Acids Res., **39**, 2727–2741

### 4.2 Ribosomes (40S, 60S, 80S) and polysomes

**Apcher, S.**, Komarova, A., Daskalogianni, C., Yin, Y., Malbert-Colas, L. and Fähræus, R. (2009) *mRNA translation regulation by the Gly-Ala repeat of Epstein-Barr virus nuclear antigen 1* J. Virol., **83**, 1289-1298

### 4.3 RNA helicase

**Padmanabhan, K.**, Robles, M.S., Westerling, T. and Weitz, C.J. (2012) *Feedback regulation of transcriptional termination by the mammalian circadian clock PERIOD complex* Science, **337**, 599-602

RNAi see “4.1 Micro-RNA”

### 4.4 RNA granules

**Fritzsche, R.**, Karra, D., Bennett, K.L., Ang, F-y., Heraud-Farlow, J.E., Tolino, M., Doyle, M., Bauer, K.E., Thomas, S., Planyavsky, M., et al (2013) *Interactome of two diverse RNA granules links mRNA localization to translational repression in neurons* Cell Rep., **5**, 1749–1762

RNA polymerase; see “4.3 RNA helicase”

### 4.5 RNP analysis

**Donlin-Asp, P.G.**, Fallini, C., Campos, J., Chou, C-C., Merritt, M.E., Phan, H.C., Bassell, G.J. and Rossoll, W. (2017) *The survival of motor neuron protein acts as a molecular chaperone for mRNP assembly* Cell Rep., **18**, 1660–1673

### 4.6 Si-RNA

**De Backer, L.**, Naessens, T., De Koker, S., Zagato, E., Demeester, J., Grooten, J., De Smedt, S.C. and Raemdonck, K. (2015) *Hybrid pulmonary surfactant-coated nanogels mediate efficient in vivo delivery of siRNA to murine alveolar macrophages* J. Control. Release, **217**, 53–63

### 4.7 Stress granules

**Zhang, Y.**, Barati, M., Munoz, I., Li, M., Wilkey, D., Rouchka, E., Merchant, M. (2014) *Transcriptomic characterization of short duration endoplasmic reticulum stress on cultured human proximal tubule cells* BMC Bioinformat., **15(Suppl 10)**: P5

### 4.8 Virus RNA

#### 4.8.1 Hepatitis B nucleocapsid

**Kim, S.**, Lee, J. and Ryu, W-S. (2009) *Four conserved cysteine residues of the Hepatitis B virus polymerase are critical for RNA pregenome encapsidation* J. Virol., **83**, 8032-8040

**Kim, S.**, Wang, H. and Ryu, W-S. (2010) *Incorporation of eukaryotic translation initiation factor eIF4E into viral nucleocapsids via interaction with hepatitis B virus polymerase* J. Virol., **84**, 52-58

**Wang, H.**, Kim, S. and Ryu, W-S. (2009) *DDX3 DEAD-box RNA helicase inhibits hepatitis B virus reverse transcription by incorporation into nucleocapsids* J. Virol., **83**, 5815-5824

#### 4.8.2 Hepatitis C

**Martin, C.**, Nielsen, S.U., Ibrahim, S., Bassendine, M.F. and Toms, G.L. (2008) *Binding of liver derived low density hepatitis C virus to human hepatoma cells* J. Med. Virol., **80**, 816-823

**Nielsen, S.**, Pumeehockchai, W. and Burt, A. (2002) *Characterization of HCV RNA particles from the serum of a patient with common variable immunodeficiency on isotonic iodixanol (OptiPrep) gradients. Association with apolipoprotein-B100* J. Hepatol., **36**, Suppl. 1, 87

**Nielsen, S.**, Bassendine, M., Burt, A. and Toms, G. (2002) *Characterization of the structural proteins of HCV isolated from human liver* J. Hepatol., **36**, Suppl. 1, 87

**Nielsen, S.**, Bassendine, M.F., Burt, A. and Toms, G.L. (2003) *Characterization of the genome and structural proteins of  $\beta$ -lipoprotein associated HCV extracted from infected human liver* GUT, Br. Associat. Study of Liver Meeting 2002, abstr. 94

**Nielsen, S.**, Bassendine, M., Neely, D., Ibrahim, S. and Toms, G. (2007) *Characterization of hepatitis C virus associated with very low density lipoprotein (VLDL) in infected human serum and liver* Atherosclerosis, **194**, 284

**Pietschmann, T.**, Lohmann, V., Kaul, A., Kreiger, N., Rinck, G., Rutter, G., Strand, D. and Bartenschlager, R. (2002) *Persistent and transient replication of full-length hepatitis C virus genomes in cell culture* J. Virol., **76**, 4008-4021

### 5. Vesicles (laboratory synthesized)

**Kamat, N.P.**, Robbins, G.P., Rawson, J., Therien, M.J., Dmochowski, I.J. and Hammer, D.A. (2010) *A generalized system for photoresponsive membrane rupture in polymersomes* Adv. Funct. Mater., **20**, 2588–2596

**Robbins, G.P.**, Jimbo, M., Swift, J., Therien, M.J. Hammer, D.A. and Dmochowski, I.J. (2009) *Photoinitiated destruction of composite porphyrin-protein polymersomes* J. Am. Chem. Soc., **131**, 3872–3874

## 6. Therapeutic use of polymers/surfactants

**De Backer, L.**, Naessens, T., De Koker, S., Zagato, E., Demeester, J., Grooten, J., De Smedt, S.C. and Raemdonck, K. (2015) *Hybrid pulmonary surfactant-coated nanogels mediate efficient in vivo delivery of siRNA to murine alveolar macrophages* J. Control. Release, **217**, 53–63

**Haun, J.B.**, Robbins, G.P. and Hammer, D.A. (2010) *Engineering therapeutic nanocarriers with optimal adhesion for targeting* J. Adhesion, **86**, 131–159

**Robbins, G.P.**, Saunders, R.L., Haun, J.B., Rawson, J., Therien, M.J. and Hammer, D.A. (2010) *Tunable leuko-polymerosomes that adhere specifically to inflammatory markers* Langmuir, **26**, 14089–14096

**Skowronek, V.**, Rambach, R.W. and Franke, T. (2015) *Surface acoustic wave controlled integrated band pass filter* Microfluid Nanofluid, **19**, 335–341

**Wayteck, L.**, Dewitte, H., De Backer, L., Breckpot, K., Demeester, J., De Smedt, S.C., Raemdonck, K. (2016) *Hitchhiking nanoparticles: Reversible coupling of lipid-based nanoparticles to cytotoxic T lymphocytes* Biomaterials, **77**, 243-254

Mini-Review MM03: 4<sup>th</sup> edition, November 2017

**Alere Technologies AS**  
Axis-Shield Density Gradient Media  
is a brand of Alere Technologies AS