

# OptiPrep™ Reference List RS12

## Endocytosis – studies on various tissue and cell types

The following references are concerned with the pathways of the endocytic process and describe the use of iodixanol gradients for the purification of a variety of membrane compartments.

- ◆ References are primarily sorted into **cell/tissue type**, or occasionally a cell process: e.g. **virus processing**
- ◆ Each **cell/tissue type** may be sorted according to the **principal analytical study**.
- ◆ In each section or subsection references are listed alphabetically according to **first author**; a particular reference may appear in more than one subsection
- ◆ Note that the **Application Sheet S42** summarizes the available methods for fractionation of components of the endocytic system

There are also several Application Sheets, accessible from the “Subcellular Membranes Index”, devoted to the use of cultured cells or mammalian liver:

- ◆ **Cultured cells – buoyant density: Application Sheet S46**
- ◆ **Rat liver/hepatocytes – lysosome/late-endosome events: Application Sheet S54**
- ◆ **Rat liver/hepatocytes – sedimentation velocity gradients: Application Sheet S44**
- ◆ **Clathrin-coated vesicles/endosomes/lysosomes (self-generated gradient): Application Sheet S45**

There are three other **Reference Lists** that provide bibliographies of papers reporting the analysis of lipid-rich plasma membrane domains, which may also be relevant in the endocytic process

- ◆ **RS06 Lipid rich detergent-resistant domains from mammalian cells, tissues and organelles**
- ◆ **RS07 Detergent-free strategy for lipid raft isolation from mammalian cells and tissues**
- ◆ **RS08 Purification of caveolae in gradients prepared from OptiPrep™**
- ◆ All of the **Application Sheets** and **Reference Lists** referred to above can be found via the following website: [www.Optiprep.com](http://www.Optiprep.com). On the website click on the “**Methodology**” tab for the Application Sheets or the “**Reference Lists**” tab.
- ◆ To assist the identification of a relevant reference in the following index key words are highlighted in blue.

### Adipocytes

#### Methodology

**Sadler, J.B.A.**, Lamb, C.A., Gould, G.W. and Bryant, N.J. (2016) *Iodixanol gradient centrifugation to separate components of the low-density membrane fraction from 3T3-L1 adipocytes* Cold Spring Harb. Protoc., doi:10.1101/pdb.prot083709

**Sadler, J.B.A.**, Lamb, C.A., Welburn, C.R., Adamson, I.S., D., Kioumourtzoglou, Chi, N-W., Gould, G.W. and Bryant, N.J. (2019) *The deubiquitinating enzyme USP25 binds tankyrase and regulates trafficking of the facilitative glucose transporter GLUT4 in adipocytes* Sci. Rep., 9: 4710

### Airway epithelial cells

#### Cystic fibrosis membrane conductance regulator

**Bomberger, J.M.**, MacEachran, D., Ye, S., Swiatecka-Urban, A., et al (2007) *CFTR inhibitory factor (CIF) reduces the plasma membrane expression of CFTR by altering intracellular trafficking of CFTR to the lysosomal pathway* FASEB J., 21, 944.4

**Bomberger, J.M.**, Ye, S., MacEachran, D.P., Koeppen, K., et al (2011) *A Pseudomonas aeruginosa toxin that hijacks the host ubiquitin proteolytic system* PLoS Pathog., 7: e1001325

**Bomberger, J.M.**, Guggino, W.B. and Stanton, B.A. (2011) *Methods to monitor cell surface expression and endocytic trafficking of CFTR in polarized epithelial cells* In Cystic Fibrosis, Methods Mol. Biol. (eds. Amaral, M.D. and Kunzelmann, K.) Springer Science+Business Media, pp 271-283

## **Astrocytes**

### **Autophagy**

**Luo, G.**, Sun, Y., Feng, R., Zhao, Q. and Wen, T. (2018) *ARL3 subcellular localization and its suspected role in autophagy* Biochimie, **154**, 187-193

### **Notch signalling**

**Valapala, M.**, Hose, S., Gongora, C., Dong, L., et al (2013) *Impaired endolysosomal function disrupts Notch signalling in optic nerve astrocytes* Nat. Commun., **4**: 1629

### **Persistent fetal vasculature**

**Zigler Jr. J.S.**, Valapala, M., Shang, P., Hose, S., Goldberg, M.F. and Sinha, D. (2016)  *$\beta$ A3/A1-crystallin and persistent fetal vasculature (PFV) disease of the eye* Biochim. Biophys. Acta, **1860**, 287–298

## **Bacterial phagosomes**

**Lee, B-Y.**, Jethwaney, D., Schilling, B., Clemens, D.L., Gibson, B.W. and Horwitz, M.A. (2010) *The Mycobacterium bovis bacilli Calmette-Guérin phagosome proteome* Mol. Cell. Proteom., **9**, 32–53

**Li, Q.**, Jagannath, C., Rao, P.K., Singh, C.R. and Lostumbo, G. (2010) *Analysis of phagosomal proteomes: From latex-bead to bacterial phagosomes* Proteomics, **10**, 4098–4116

## **BHK cells**

### **Helicobacter pylori toxin**

**Molinari, M.**, Galli, C., Norais, N., Telford, J.L., et al (1997) *Vacuoles induced by Helicobacter pylori toxin contain both late endosomal and lysosomal markers* J. Biol. Chem., **272**, 25339-25344

## **Brain tissue/neural cells (see also “Astrocytes” and “Glial cells”)**

### **Adaptins**

**Zizioli, D.**, Geumann, C., Kratzke, M., Mishra, R., Borsani, G., Finazzi, D., Candiello, E. and Schua, P. (2017)  *$\gamma$ 2 and  $\gamma$ LAP-1 complexes: Different essential functions and regulatory mechanisms in clathrin-dependent protein sorting* Eur. J. Cell Biol., **96**, 356–368

### **$\beta$ -Amyloid protein**

**Barbero-Camps, E.**, Roca-Agujetas, V., Bartolessis, I., de Dios, C., Fernández-Checa, J.C., Marí, M., Morales, A., Hartmann, T. and Colell, A. (2018) *Cholesterol impairs autophagy-mediated clearance of amyloid beta while promoting its secretion*. Autophagy, **14**, 1129-1154

**Sato, N.**, Shinohara, M., Rakugi, H. and Morishita, R. (2012) *Dual effects of statins on  $A\beta$  metabolism: upregulation of the degradation of APP-CTF and  $A\beta$  clearance* Neurodegener. Dis., **10**, 305–308

**Shinohara, M.**, Sato, N., Kurinami, H., Takeuchi, D., et al (2010) *Reduction of brain  $\beta$ -amyloid ( $A\beta$ ) by fluvastatin, a hydroxymethylglutaryl-CoA reductase inhibitor, through increase in degradation of amyloid precursor protein C-terminal fragments (APP-CTFs) and  $A\beta$  clearance* J. Biol. Chem., **285**, 22091–22102

**Tamboli, I.Y.**, Hampel, H., Sandhoff, K. and Walter, J. (2006) *Accumulation of sphingolipids increases secretion of the amyloid  $\beta$ -peptide by stabilization of the  $\beta$ -amyloid precursor protein* Alzheimers Dement., **2**, Suppl. 1, S528-S529

### **Dendritic trafficking**

**Schwenk, B.M.**, Lang, C.M., Hogg, S., Tahirovic, S., et al (2014) *The FTL risk factor TMEM106B and MAP6 control dendritic trafficking of lysosomes* EMBO J., **33**, 450-467

### **Down syndrome mouse model**

**D'Acunzo, P.**, Hargash, T., Pawlik, M., Goulbourne, C.N., Perez-Gonzalez, R. and Levy, E. (2019) *Enhanced generation of intraluminal vesicles in neuronal late endosomes in the brain of a Down syndrome mouse model with endosomal dysfunction* Devel. Neurobiol., **79**, 656–663

### Early endosome maturation

**Candiello, E.,** Kratzke, M., Wenzel, D., Cassel, D. and Schu, P. (2016) *AP-1/σ1A and AP-1/σ1B adaptor proteins differentially regulate neuronal early endosome maturation via the Rab5/Vps34-pathway* Sci. Rep., **6**: 29950

### Glycolipids

**Takamura, A.,** Higaki, K., Ninomiya, H., Takai, T., et al (2011) *Lysosomal accumulation of Trk protein in brain of G<sub>MI</sub>-gangliosidosis mouse and its restoration by chemical chaperone* J. Neurochem., **118**, 399–406

### Hereditary spastic paraplegia

**Khundadze, M.,** Kollmann, K., Koch, N., Biskup, C., et al (2013) *A hereditary spastic paraplegia mouse model supports a role of ZFYVE26/SPASTIZIN for the endolysosomal system* PLoS Genet., **9**: e1003988

### Neurite outgrowth

**Tao, T.,** Sun, J., Peng, Y., Li, Y., Wang, P., Chen, X., Zhao, W., Zheng, Y-Y., Wei, L. et al (2019) *Golgi-resident TRIO regulates membrane trafficking during neurite outgrowth* J. Biol. Chem., **294**, 10954–10968

### Trk protein

**Fu, X.,** Yang, Y., Xu, C., Niu, Y., et al (2011) *Retrolinkin cooperates with endophilin A1 to mediate BDNF–TrkB early endocytic trafficking and signaling from early endosomes* Mol. Biol. Cell, **22**, 3684–3698

**Takamura, A.,** Higaki, K., Ninomiya, H., Takai, T., et al (2011) *Lysosomal accumulation of Trk protein in brain of G<sub>MI</sub>-gangliosidosis mouse and its restoration by chemical chaperone* J. Neurochem., **118**, 399–406

### Caco-2 cells

#### Cholera toxin

**Orlandi, P.A.** (1997) *Protein-disulfide isomerase-mediated reduction of the A subunit of cholera toxin in a human intestinal cell line* J. Biol. Chem., **272**, 4591–4599

**Van den Broeck, D.,** Lagrou, A.R. and De Wolf, M.J.S. (2007) *Distinct role of clathrin-mediated endocytosis in the functional uptake of cholera toxin* Acta Biochim. Polonica, **54**, 757–767

### Methodology

**Li, X.** and Donowitz, M. (2008) *Fractionation of subcellular membrane vesicles of epithelial and nonepithelial cells by OptiPrep™ density gradient ultracentrifugation* In Methods Mol. Biol., **440**, Exocytosis and Endocytosis (ed. Ivanov, A.I.) Humana Press, Totowa, NJ, pp 97–110

**Li, X.** and Donowitz, M. (2014) *Fractionation of subcellular membrane vesicles of epithelial and non-epithelial cells by OptiPrep™ density gradient ultracentrifugation* In Exocytosis and Endocytosis, Methods in Molecular Biology, **1174** (ed. Ivanov, A.I.) Springer Science+Business Media New York 2014, pp 85–99

### Carcinoma cells (incl. HeLa)

#### Adaptor proteins

**Urbanska, A.,** Sadowski, L., Kalaidzidis, Y. and Miaczynska, M. (2011) *Biochemical characterization of APPL endosomes: the role of annexin A2 in APPL membrane recruitment* Traffic, **12**, 1227–1241

### Autophagy

**Cohen-Kaplan, V.,** Livneh, I., Kwon, Y.T. and Ciechanover, A. (2019) *Monitoring stress-induced autophagic engulfment and degradation of the 26S proteasome in mammalian cells* Meth. Enzymol., **619**, 337–366

**Gui, X.,** Yang, H., Li, T., Tan, X., Shi, P., Li, M., Du, F., Chen, Z.J. (2019) *Autophagy induction via STING trafficking is a primordial function of the cGAS pathway* Nature **567**, 262–285

### β-Amyloid precursor protein

**Matsuda, S.,** Matsuda, Y., Snapp, E.L. and D’Adamio, L. (2011) *Maturation of BRI2 generates a specific inhibitor that reduces APP processing at the plasma membrane and in endocytic vesicles* Neurobiol. Aging, **32**, 1400–1408

**Vorobyeva, A.G.,** Lee, R., Miller, S., Longen, C., Sharoni, M. et al (2014) *Cyclopamine modulates γ-secretase-mediated cleavage of amyloid precursor protein by altering its subcellular trafficking and lysosomal degradation* J. Biol. Chem., **289**, 33258–33274

### Biogenesis and cargo selection

**Dengje, J.,** Høyer-Hansen, M., Nielsen, M.O., Eisenberg, T., et al (2012) *Identification of autophagosome-associated proteins and regulators by quantitative proteomic analysis and genetic screens* Mol. Cell. Proteom., **11**: M111.014035

### Clathrin-mediated

**Barroso-González, J.**, Machado, J.-D., García-Expósito, L. and Valenzuela-Fernández, A. (2009) *Moesin regulates the trafficking of nascent clathrin-coated vesicles* J. Biol. Chem., **284**, 2419–2434

### Colon cancer

Duong, H.Q., Nemazany, I., Rambow, F., Tang, S.C., Delaunay, S., Tharun, L., Florin, A., Büttner, R., et al (2018) *The endosomal protein CEMIP links WNT signaling to MEK1–ERK1/2 activation in selumetinib-resistant intestinal organoids* Cancer Res. **78**, 4533–4548

**Ohata, H.**, Shiokawa, D., Obata, Y., Sato, A., Sakai, H., Fukami, M., Hara, W., Taniguchi, H. et al (2019) *NOX1-Dependent mTORC1 activation via S100A9 oxidation in cancer stem-like cells leads to colon cancer progression* Cell Rep., **28**, 1282–1295

### COPI COPII vesicles

**Adolf, F.**, Rhiel, M., Hessling, B., Gao, Q., Hellwig, A., Béthune, J. and Wieland, F.T. (2019) *Proteomic profiling of mammalian COPII and COPI vesicles* Cell Rep., **26**, 250–265

### Cytokinesis

**Neto, H.**, Kaupisch, A., Collins, L.L. and Gould, G.W. (2013) *Syntaxin 16 is a master recruitment factor for cytokinesis* Mol. Biol. Cell, **24**, 3663–3674

### Endosome maturation and processing

**Gireud-Goss, M.**, Reyes, S., Wilson, M., Farley, M., Memarzadeh, K., Srinivasan, S., Sirisaengtaksin, N., Yamashita, S., Tsunoda, S. et al (2018) *Distinct mechanisms enable inward or outward budding from late endosomes/multivesicular bodies* Exp. Cell Res., **372**, 1–15

**Huotari, J.**, Meyer-Schaller, N., Hubner, M., Stauffer, S., et al (2012) *Cullin-3 regulates late endosome maturation* Proc. Natl. Acad. Sci. USA, **109**, 823–828

**Li, Q.**, Spencer, N.Y., Oakley, F.D., Buettner, G.R. and Engelhardt, J.F. (2009) *Endosomal Nox2 facilitates redox-dependent induction of NF- $\kappa$ B by TNF- $\alpha$*  Antioxid. Redox Signal., **11**, 1249–1263

**Perini, E.D.**, Schaefer, R., Stöter, M., Kalaidzidis, Y. and Zerial, M. (2014) *Mammalian CORVET Is required for fusion and conversion of distinct early endosome subpopulations* Traffic, **15**, 1366–1389

### Growth factors

**Chin, L.-S.**, Raynor, M.C., Wei, X., Chen, H.-Q., et al (2001) *Hrs interacts with sorting nexin 1 and regulates degradation of epidermal growth factor receptor* J. Biol. Chem., **276**, 7069–7078

**Yakymovych, I.**, Yakymovych, M., Zang, G., Mu, Y., Bergh, A., Landström, M. and Heldin, K.H. (2015) *CIN85 modulates TGF  $\beta$  signaling by promoting the presentation of TGF  $\beta$  receptors on the cell surface* J. Cell Biol., **210**, 319–332

### Interleukin-1 receptor complex

**Li, Q.**, Harraz, M.M., Zhou, W., Zhang, L.N., et al (2006) *Nox2 and Rac1 regulate H<sub>2</sub>O<sub>2</sub>-dependent recruitment of TRAF6 to endosomal interleukin-1 receptor complexes* Mol. Cell. Biol., **26**, 140–154

### Lipid droplets

**Velikkakath, A.K.G.**, Nishimura, T., Oita, E., Ishihara, N., et al (2012) *Mammalian Atg2 proteins are essential for autophagosome formation and important for regulation of size and distribution of lipid droplets* Mol. Biol. Cell, **23**, 896–909

### Multivesicular bodies

**Gireud-Goss, M.**, Reyes, S., Wilson, M., Farley, M., Memarzadeh, K., Srinivasan, S., Sirisaengtaksin, N., Yamashita, S., Tsunoda, S. et al (2018) *Distinct mechanisms enable inward or outward budding from late endosomes/multivesicular bodies* Exp. Cell Res., **372**, 1–15

### Notch signalling

**Tagami, S.**, Okochi, M., Yanagida, K., Ikuta, A., et al (2008) *Regulation of Notch signaling by dynamic changes in the precision of S3 cleavage of Notch-1* Mol. Cell. Biol., **28**, 165–76

### Rab GTPase

**Meyers, J.M.** and Prekeris, R. (2002) *Formation of mutually exclusive Rab11 complexes with members of the family of Rab11-interacting proteins regulates Rab11 endocytic targeting and function* J. Biol. Chem., **277**, 49003–49010

**Proikas-Cezanne, T.,** Gaugel, A., Frickey, T. and Nordheim, A. (2006) *Rab14 is part of the early endosomal clathrin-coated TGN microdomain* FEBS Lett., **580**, 5241-5246  
**Urbanska, A.,** Sadowski, L., Kalaidzidis, Y. and Miaczynska, M. (2011) *Biochemical characterization of APPL endosomes: the role of annexin A2 in APPL membrane recruitment* Traffic, **12**, 1227-1241

## **ROS**

**Mumbengewi, D.R.,** Li, Q., Li, C., Bear, C.E., et al (2008) *Evidence for a superoxide permeability in endosomal membranes* Mol. Cell. Biol., **28**, 3700-3712

### **Salmonella-containing vacuole**

**Santos, J.C.,** Duchateau, M., Fredlund, J., Weiner, A., Mallet, A., Schmitt, C., Matondo, M., Hourdel, V., Chamot-Rooke, J. and Enninga, J. (2015) *The COPII complex and lysosomal VAMP7 determine intracellular Salmonella localization and growth* Cell. Microbiol., **17**, 1699-1720

## **Syntaxins**

**Neto, H.,** Kaupisch, A., Collins, L.L. and Gould, G.W. (2013) *Syntaxin 16 is a master recruitment factor for cytokinesis* Mol. Biol. Cell, **24**, 3663-3674

## **Virus internalization and interactions**

**Ding, W.,** Zhang, L.N., Yeaman, C. and Engelhardt, J.F. (2006) *rAAV2 traffics through both the late and the recycling endosomes in a dose-dependent fashion* Mol. Ther., **13**, 671-682

**Ganti, K.,** Massimi, P., Manzo-Merino, J., Tomaić, V., Pim, D., Playford, M.P., Lizano, M., Roberts, S., Kranjec, C., Doorbar, J. and Banks, L. (2016) *Interaction of the human papillomavirus E6 oncoprotein with sorting nexin 27 modulates endocytic cargo transport pathways* PLoS Pathog., **12**: e1005854

**Su, W.-C.,** Chen, Y.-C., Tseng, C.-H., Hsu, P.W.-C., et al (2013) *Pooled RNAi screen identifies ubiquitin ligase Itch as crucial for influenza A virus release from the endosome during virus entry* Proc. Natl. Acad. Sci. USA, **110**, 17516-17521

## **Cardiac tissue**

### **KATP channel**

**Hund, T.J.** and Mohler, P.J. (2011) *Differential roles for SUR subunits in KATP channel membrane targeting and regulation* Am. J. Physiol. Heart Circ. Physiol., **300**, H33-H35

**Yang, H.Q.,** Foster, M.N., Jana, K., Ho, J., Rindler, M.J. and Coetzee, W.A. (2016) *Plasticity of sarcolemmal KATP channel surface expression: relevance during ischemia and ischemic preconditioning*. Am. J. Physiol. Heart Circ. Physiol., **310**, H1558-H1566

## **CHO cells**

### **$\beta$ -amyloid precursor protein**

**Huttunen, H.J.,** Puglielli, L., Ellis, B.C., MacKenzie Ingano, L.A. and Kovacs, D.M. (2009) *Novel N-terminal cleavage of APP precludes A $\beta$  generation in ACAT-defective AC29 cells* J. Mol. Neurosci., **37**, 6-15

### **Coatamer COPI protein**

**Daro, E.,** Sheff, D., Gomez, M., Kreis, T., et al (1997) *Inhibition of endosome function in CHO cells bearing a temperature-sensitive defect in the coatamer (COPI) component  $\epsilon$ -COP* J. Cell Biol., **139**, 1747-1759

### **GLUT8 transporter**

**Augustin, R.,** Riley, J. and Moley, K.H. (2005) *GLUT8 contains a [DE]XXXL[LI] sorting motif and localizes to a late endosomal/lysosomal compartment* Traffic, **6**, 1196-1212

### **LDL receptor**

**Sugii, S.,** Reid, P.C., Ohgami, N., Du, H. et al (2003) *Distinct endosomal compartments in early trafficking of low density lipoprotein-derived cholesterol* J. Biol. Chem., **278**, 27180-27189

## **NCAM**

**Westphal, N.,** Loers, G., Lutz, D., Theis, T., Kleene, R. and Schachner, M. (2017) *Generation and intracellular trafficking of a polysialic acid carrying fragment of the neural cell adhesion molecule NCAM to the cell nucleus* Sci. Rep., **7**: 8622



## Corneal epithelial cells

### Clathrin-mediated

Argueso, P., Guzman-Aranguez, A., Woodward, A. and Pintor, J.J. (2011) *Inhibition of mucin O-glycosylation promotes endocytosis and nanoparticle uptake in corneal epithelial cells* Invest. Ophthalmol. Vis. Sci., **52**, E-Abstr. 4394

## COS-7 cells

### Amyloid $\beta$ -precursor protein

Takasugi, N., Araya, R., Kamikubo, Y., Kaneshiro, N., Imaoka, R., Jin, H., Kashiyama, T., Hashimoto, Y., Kurosawa, M. et al (2018) *TMEM30A is a candidate interacting partner for the  $\beta$ -carboxyl-terminal fragment of amyloid- $\beta$  precursor protein in endosomes* PLoS One, **13**: e0200988

### Calmodulin

Cao, Q., Zhong, X.Z., Zou, Y., Murrell-Lagnado, R., Zhu, M.X. and Dong, X-P. (2015) *Calcium release through P2X4 activates calmodulin to promote endolysosomal membrane fusion* J. Cell Biol., **209**, 879–894

### Parkinson's disease

Yoshida, S., Hasegawa, T., Suzuki, M., Sugeno, N., Kobayashi, J., Ueyama, M., Fukuda, M., Ido-Fujibayashi, A., Sekiguchi, K. et al (2018) *Parkinson's disease-linked DNAJC13 mutation aggravates alpha-synuclein-induced neurotoxicity through perturbation of endosomal trafficking* Hum. Mol. Genet., **27**, 823–836

### Sialidase

Lukong, K.E., Seyrantepe, V., Landry, K., Trudel, S., et al (2001) *Intracellular distribution of lysosomal sialidase is controlled by the internalisation signal in its cytoplasmic tail* J. Biol. Chem., **276**, 46172-46181

### Transferrin receptor

Shen, X., Xu, K-F., Fan, Q., Pacheco-Rodriguez, G., et al (2006) *Association of brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2) with recycling endosomes during transferrin uptake* Proc. Natl. Acad. Sci. USA, **103**, 2635-2640

### Cytokinesis

Chen, X-W., Inoue, M., Hsu, S. and Saltiel, A.R. (2006) *RalA-exocyst-dependent recycling endosome trafficking is required for the completion of cytokinesis* J. Biol. Chem., **281**, 38609-38616

## Dendritic cells

### Phagosomes

Romao, S., Gasser, N., Becker, A.C., Guhl, B., Bajagic, M., Vanoaica, D., Ziegler, U., Roesler, J., Dengjel, J., Reichenbach, J. and Münz, C. (2013) *Autophagy proteins stabilize pathogen-containing phagosomes for prolonged MHC II antigen processing* J. Cell Biol., **203**, 757–766

## Endothelial cells

### Growth factor receptors

Lampugnani, M.G., Orsenigo, F., Gagliani, M.C., Tacchetti, C. et al (2006) *Vascular endothelial cadherin controls VEGFR-2 internalization and signaling from intracellular compartments* J. Cell Biol., **174**, 593-604

## Enterocytes

### Intestinal chylomicron output

Siddiqi, S. and Mansbach II, C.M. (2015) *Dietary and biliary phosphatidylcholine activates PKC $\xi$  in rat intestine* J. Lipid Res., **56**, 859–870

## Glial/glioma cells

### Proteoglycans

Podyma-Inoue, K.A., Moriwaki, T., Rajapakshe, A.R., Terasawa, K. and Hara-Yokoyama, M. (2016) *Characterization of heparan sulfate proteoglycan-positive recycling endosomes isolated from glioma cells* Canc. Genom. Proteom., **13**, 443-452

### Virus processing

Querbes, W., O'Hara, B.A., Williams, G. and Atwood, W.J. (2006) *Invasion of host cells by JC virus identifies a novel role for caveolae in endosomal sorting of noncaveolar ligands* J. Virol., **80**, 9402-9413

## Green monkey kidney (Vero) cells

### Toxins

**McKenzie, J.**, Johannes, L., Taguchi, T. and Sheff, D. (2009) *Passage through the Golgi is necessary for Shiga toxin B subunit to reach the endoplasmic reticulum* FEBS J., **276**, 1581–1595

**Majoul, I.V.**, Bastiaens, P.I.H. and Soling H-D (1996) *Transport of an external Lys-Asp-Glu-Leu (KDEL) protein from the plasma membrane to the endoplasmic reticulum: studies with cholera toxin in Vero cells* J. Cell Biol., **133**, 777-789

## HEK cells

### Adhesion/growth regulatory galectins

**Kutzner, T.J.**, Higuero, A.M., Susmair, M., Kopitz, J., Hingar, M., Diez-Revuelta, N., Caballero, G.G.C., Kaltner, H., Lindner, I. et al (2020) *How presence of a signal peptide affects human galectins-1 and -4: Clues to explain common absence of a leader sequence among adhesion/growth regulatory galectins* Biochem. Biophys. Acta – Gen. Subjects, **1864**: 129449

### Amyloid $\beta$ protein

**Liu, L.**, Lauro, B.M., Ding, L., Rovere, M., Wolfe, M.S. and Selkoe, D.J. (2019) *Multiple BACE1 inhibitors abnormally increase the BACE1 protein level in neurons by prolonging its half-life* Alzheimers Dement., **15**, 1183-1194

### Autophagy

**Gui, X.**, Yang, H., Li, T., Tan, X., Shi, P., Li, M., Du, F., Chen, Z.J. (2019) *Autophagy induction via STING trafficking is a primordial function of the cGAS pathway* Nature **567**, 262-285

**Kumar, S.**, Gu, Y., Abudu, Y.P., Bruun, J-A., Jain, A., Farzam, F., Mudd, M., Anonsen, J.H. et al (2019) *Phosphorylation of syntaxin 17 by TBK1 controls autophagy initiation* Dev. Cell, **49**, 130–144

**Luo, G.**, Sun, Y., Feng, R., Zhao, Q. and Wen, T. (2018) *ARL3 subcellular localization and its suspected role in autophagy* Biochimie, **154**, 187-193

**Nnah, I.C.**, Wang, B., Saqcena, C., Weber, G.F., Bonder, E.M., Bagley, D., De Cegli, R., Napolitano, G. et al (2019) *TFEB-driven endocytosis coordinates MTORC1 signaling and autophagy* Autophagy, **15**, 151-164

### $\beta$ -Catenin

**Layton, M.J.**, Faux, M.C., Church, N.L., Catimel, B., et al (2012) *Identification of a Wnt-induced protein complex by affinity proteomics using an antibody that recognizes a sub-population of  $\beta$ -catenin* Biochim. Biophys. Acta, **1824**, 925–937

### Clathrin-mediated

**Idkowiak-Baldys, J.**, Becker, K.P., Kitatani, K. and Hannum, Y.A. (2006) *Dynamic sequestration of the recycling compartment by classical protein kinase C* J. Biol. Chem., **281**, 22321-22331

**Neel, N.F.**, Lapierre, L.A., Goldenring, J.R. and Richmond, A. (2007) *RhoB plays an essential role in CXCR2 sorting decisions* J. Cell Sci., **120**, 1559-1571

### Dendritic cell factor

**Chen, Y.**, Feng, R., Luo, G., Guo, J., Wang, Y., Sun, Y., Zheng, L. and Wen, T. (2018) *DCFI subcellular localization and its function in mitochondria* Biochimie, **144**, 50-55

### Dopamine transporter

**Keith, D.J.**, Wolfrum, K., Eshleman, A.J. and Janowsky, A. (2012) *Melittin initiates dopamine transporter internalization and recycling in transfected HEK-293 cells* Eur. J. Pharmacol., **690**, 13–21

### GLUT8 transporter

**Augustin, R.**, Riley, J. and Moley, K.H. (2005) *GLUT8 contains a [DE]XXXL[LI] sorting motif and localizes to a late endosomal/lysosomal compartment* Traffic, **6**, 1196-1212

### Immune receptors

**Qi, R.**, Singh, D. and Kao, C.C. (2012) *Proteolytic processing regulates toll-like receptor 3 stability and endosomal localization* J. Biol. Chem., **287**, 32617–32629

### Neimann-Pick disease

**Kim, H.**, Chun, Y., Che, L. Kim, J., Lee, S. and Lee, S. (2017) *The new obesity-associated protein, neuronal growth regulator 1 (NEGR1), is implicated in Niemann-Pick disease Type C (NPC2)-mediated cholesterol trafficking* Biochem. Biophys. Res. Comm., **482**, 1367-1374

### Notch signalling

**Tagami, S.**, Okochi, M., Yanagida, K., Ikuta, A., et al (2008) *Regulation of Notch signaling by dynamic changes in the precision of S3 cleavage of Notch-1* Mol. Cell. Biol., **28**, 165-76

### Pericentriion

**El-Osta, M.A.**, Idkowiak-Baldys, J. and Hannun, Y.A. (2011) *Delayed phosphorylation of classical protein kinase C (PKC) substrates requires PKC internalization and formation of the pericentriion in a phospholipase D (PLD)-dependent manner* J. Biol. Chem., **286**, 19340–19353

### Phosphatidylinositol

**Sbrissa, D.**, Ikononov, O.C., Fu, Z., Ijuin, T., et al (2007) *Core protein machinery for mammalian phosphatidylinositol 3,5-bisphosphate synthesis and turnover that regulates the progression of endosomal transport* J. Biol. Chem., **282**, 23878-23891

### mRNA, mi-RNA targetting

**Barman, B.** and Bhattacharyya, S.N. (2015) *mRNA targeting to endoplasmic reticulum precedes Ago protein interaction and microRNA (miRNA)-mediated translation repression in mammalian cells* J. Biol. Chem., **290**, 24650–24656

**Bose, M.**, Barman, B., Goswami, A., Bhattacharyya, S.N., (2017) *Spatiotemporal uncoupling of microRNA-mediated translational repression and target RNA degradation controls microRNP recycling in mammalian cells* Mol. Cell. Biol., **37**: e00464-16

### Rab GTPase

**Urbanska, A.**, Sadowski, L., Kalaidzidis, Y. and Miaczynska, M. (2011) *Biochemical characterization of APPL endosomes: the role of annexin A2 in APPL membrane recruitment* Traffic, **12**, 1227–1241

### Somatostatin receptor 2

**Olsen, C.**, Memarzadeh, K., Ulu, A., Carr, H.S., Bean, A.J. and Frost, J.A. (2019) *Regulation of somatostatin receptor 2 trafficking by C-tail motifs and the retromer* Endocrinology, **160**, 1031–1043

### Stotmatin

**Mairhofer, M.**, Steiner, M., Salzer, U. and Prohaska, R. (2009) *Stomatatin-like protein-1 interacts with stomatin and is targeted to late endosomes* J. Biol. Chem., **284**, 29218-29229

### Tau protein

**Simón, D.**, García-García, E., Royo, F., Falcón-Pérez, J.M. et al (2012) *Proteostasis of tau. Tau overexpression results in its secretion via membrane vesicles* FEBS Lett., **586**, 47–54

### Virus internalization

**Su, W-C.**, Chen, Y-C., Tseng, C-H., Hsu, P.W-C., et al (2013) *Pooled RNAi screen identifies ubiquitin ligase Itch as crucial for influenza A virus release from the endosome during virus entry* Proc. Natl. Acad. Sci. USA, **110**, 17516–17521

## HeLa cells (see “Carcinoma cells”)

### Hepatocytes

#### Autophagosomes/phagosomes

**Berg, T.O.**, Fengsrud, M., Strømhaug, P.E., Berg, T., et al (1998) *Isolation and characterization of rat liver amphisomes* J. Biol. Chem., **273**, 21883-21892

**Fengsrud, M.**, Erichsen, E.S., Berg, T.O., Raiborg, C. et al (2000) *Ultrastructural characterization of the delimiting membranes of isolated autophagosomes and amphisomes by freeze-fracture electron microscopy* Eur. J. Cell Biol., **79**, 871-882

**Strømhaug, P.E.**, Berg, T.O. and Seglen, P.O. (1998) *Purification and characterization of autophagosomes from rat hepatocytes* Biochem. J., **335**, 217-224



Sætre, F., Hagen, L.K., Engedal, N. and Seglen, P.O. (2015) *Novel steps in the autophagic-lysosomal pathway* FEBS J., **282**, 2202–2214

Szalaia, P., Korseberg Hagen, L., Sætre, F., Luhr, M., Sponheim, M., Øverbye, A., Mills, I.G., Seglen, P.O. and Engedal, N. (2015) *Autophagic bulk sequestration of cytosolic cargo is independent of LC3, but requires GABARAPs* Exp. Cell Res., **333**, 21–38

#### **Lipid droplets**

Schulze, R.J., Weller, S.G., Schroeder, B., Krueger, E.W., et al (2013) *Lipid droplet breakdown requires Dynamin 2 for vesiculation of autolysosomal tubules in hepatocytes* J. Cell Biol., **203**, 315–326

#### **miRNA / siRNA**

Ghosh, S., Bose, M., Ray, A. and Bhattacharyya, S.N. (2015) *Polysome arrest restricts miRNA turnover by preventing exosomal export of miRNA in growth-retarded mammalian cells* Mol. Biol. Cell, **26**, 1072–1083

Xu, Y., Ou, M., Keough, E., Roberts, J., et al (2014) *Quantitation of physiological and biochemical barriers to siRNA liver delivery via lipid nanoparticle platform* Mol. Pharmaceutics, **11**, 1424–434

#### **Reactive oxygen species**

Oakley, F.D., Abbott, D., Li, Q. and Engelhardt, J.F. (2009) *Signaling components of redox active endosomes: the redoxosomes* Antioxid. Redox Signal., **11**, 1313–1333

#### **Hepatoma/hepatocarcinoma cells**

##### **Alpha-1-antitrypsin deficiency**

Khodayari, N., Marek, G., Lu, Y., Krotova, K., Wang, R.L. and Brantly, M. (2017) *Erdj3 has an essential role for Z variant alpha-1-antitrypsin degradation* J. Cell. Biochem., **118**, 3090–3101

#### **Lipid droplets**

Li, Z., Schulze, R.J., Weller, S.G., Krueger, E.W., Schott, M.B., Zhang, X., Casey, C.A., Liu, J., Stöckli, J., James, D.E. and McNiven, M.A. (2016) *A novel Rab10-EHBP1-EHD2 complex essential for the autophagic engulfment of lipid droplets* Sci. Adv., **2**: e1601470

Schott, M.B., Rasineni, K., Weller, S.G., Schulze, R.J., Sletten, A.C., Casey, C.A. and McNiven, M.A. (2017)  *$\beta$ -Adrenergic induction of lipolysis in hepatocytes is inhibited by ethanol exposure* J. Biol. Chem., **292**, 11815–11828

#### **Lysosomal acid lipase**

Grumet, L., Eichmann, T.O., Taschler, U., Zierler, K.A., Leopold, C., Moustafa, T., Radovic, B., Romauch, M., Yan, C. et al (2016) *Lysosomal acid lipase hydrolyzes retinyl ester and affects retinoid turnover* J. Biol. Chem., **291**, 17977–17987

#### **mRNA, mi-RNA**

Mukherjee, K., Ghoshal, B., Ghosh, S., Chakrabarty, Y., Shwetha, S., Das, S. and Bhattacharyya, S.N. (2016) *Reversible HuR-microRNA binding controls extracellular export of miR-122 and augments stress response* EMBO Rep., **17**, 1184–1203

Wang, Y., Lam, W., Chen, S-R., Guan, F-L., Dutchman, G.E., Francis, S., Baker, D.C. and Cheng, Y-C. (2016) *Tylophorine analog DCB-3503 inhibited cyclin D1 translation through allosteric regulation of heat shock cognate protein 70* Sci. Rep., **6**: 32832

#### **Transferrin receptor**

Manunta, M., Izzo, L., Duncan, R. and Jones, A.T. (2007) *Establishment of subcellular fractionation techniques to monitor the intracellular fate of polymer therapeutics II: Identification of endosomal and lysosomal compartments in HepG2 cells combining single-step subcellular fractionation and fluorescent imaging* J. Drug Target., **15**, 37–50

#### **Virus interactions**

Abdul, F., Ndeboko, B., Buronfosse, T., Zoulim, F., et al (2012) *Potent inhibition of late stages of hepadnavirus replication by a modified cell penetrating peptide* PLoS One, **7**: e48721

Shaikh F.Y., Utley, T.J., Craven, R.E., Rogers, M.C., et al (2012) *Respiratory syncytial virus assembles into structured filamentous virion particles independently of host cytoskeleton and related proteins* PLoS One, **7**: e40826

## HepG2 cells

### Hepatitis B virus production

Inoue, J., Ninomiya, M., Umetsu, T., Nakamura, T., Kogure, T., Kakazu, E., Iwata, T., Takai, S., Sano, A. et al (2019) *Small interfering RNA screening for the small GTPase Rab proteins identifies Rab5B as a major regulator of hepatitis B virus production* J. Virol., **93**: e00621-19

## Human lung adenocarcinoma epithelial cells

Su, W.-C. and Lai, M.M.C. (2018) *Quantitative RT-PCR analysis of influenza virus endocytic escape* In Influenza Virus Methods and Protocols, Meth. Mol. Biol., vol. **1836** (ed. Yamauchi, Y.) Springer Science+Business Media LLC, New York 2018, pp 185-194

## Human osteosarcoma cells

Bryant, D., Liu, Y., Datta, S., Hariri, H., Seda, M., Anderson, G., Peskett, E., Demetriou, C., Sousa, S. et al (2018) *SNX14 mutations affect endoplasmic reticulum associated neutral lipid metabolism in autosomal recessive spinocerebellar ataxia 20* Hum. Mol. Genet., **27**, 1927-1940

## Human promyelocyte leukaemia cells

Xiong, Q., Lin, M., Huang, W., Rikihisa, Y. (2019) *Infection by Anaplasma phagocytophilum requires recruitment of low-density lipoprotein cholesterol by flotillins* mBIO **10**: e02783-18

## Human skin fibroblasts

Nakasone, N., Nakamura, Y.S., Higaki, K., Oumi, N., Ohno, K. and Ninomiya, H. (2014) *Endoplasmic reticulum-associated degradation of Niemann-Pick C1: evidence for the role of heat shock proteins and identification of lysine residues that accept ubiquitin* J. Biol. Chem., **289**, 9714–19725

## Hypothalamic neural cells

Yamasaki, T., Suzuki, A., Hasebe, R. and Horiuchi, M. (2018) *Retrograde transport by clathrin-coated vesicles is involved in intracellular transport of PrPSc in persistently prion-infected cells* Sci. Rep., **8**: 1224

## Ileal brush border

### Na<sup>+</sup>-H<sup>+</sup> exchanger

Li, X. and Donowitz, M. (2008) *Fractionation of subcellular membrane vesicles of epithelial and nonepithelial cells by OptiPrep™ density gradient ultracentrifugation* In Methods Mol. Biol., **440**, Exocytosis and Endocytosis (ed. Ivanov, A.I.) Humana Press, Totowa, NJ, pp 97-110

Li, X., Zhang, H., Cheong, A., Leu, S., et al (2004) *Carbachol regulation of rabbit ileal brush border Na<sup>+</sup>-H<sup>+</sup> exchanger 3 (NHE3) occurs through changes in NHE3 trafficking and complex formation and is Src dependent* J. Physiol., **3**, 791-804

Li, X. and Donowitz, M. (2014) *Fractionation of subcellular membrane vesicles of epithelial and non-epithelial cells by OptiPrep™ density gradient ultracentrifugation* In Exocytosis and Endocytosis, Methods in Molecular Biology, **1174** (ed. Ivanov, A.I.) Springer Science+Business Media New York 2014, pp 85-99

## Jurkat cells

### Transferrin receptor

Shakor, A.B.A., Atia, M.M., Kwiatkowska, K. and Sobota, A. (2012) *Cell surface ceramide controls translocation of transferrin receptor to clathrin-coated pits* Cell. Signal., **24**, 677–684

## Keratinocytes

### Clathrin-mediated

Guzman-Aranguez, A., Woodward, A.M., Pintor, J. and Argüeso, P. (2012) *Targeted disruption of core 1  $\beta$ 1,3-galactosyltransferase (C1galt1) induces apical endocytic trafficking in human corneal keratinocytes* PLoS One, **7**: e36628

## Kidney

### Aquaporin

Procino, G., Barbieri, C., Carmosino, M., Rizzo, F., et al M. (2010) *Lovastatin-induced cholesterol depletion affects both apical sorting and endocytosis of aquaporin-2 in renal cells* Am. J. Physiol. Renal Physiol., **298**, F266–F278

### **Megalin (LDL receptor gene family)**

Zou, Z., Chung, B., Nguyen, T., Mentone, S., Thomson, B. and Biemesderfer, D. (2004) *Linking receptor-mediated endocytosis and cell signaling* J. Biol. Chem., **279**, 34302-34310

### **Myosin VI**

Biemesderfer, D., Mentone, S.A., Mooseker, M. and Hasson, T. (2002) *Expression of myosin VI within the early endocytic pathway in adult and developing proximal tubules* Am. J. Physiol., Ren. Physiol., **282**, F785-F794

### **LD9 cells**

#### **Prion protein**

Graham, J.F., Agarwal, S., Kurian, D., Kirby, L., et al (2010) *Low density subcellular fractions enhance disease-specific prion protein misfolding* J. Biol. Chem., **285**, 9868-9880

### **Liver (rodent)**

#### **Late endosomal/lysosomal/mitochondrial sorting**

Lim, J.M., Lim, J.C., Kim, G. and Levine, R.L. (2018) *Myristoylated methionine sulfoxide reductase A is a late endosomal protein* J. Biol. Chem., 7355-7366

Pribasnig, M.A., Mrak I., Grabner, G.F., Taschler, U., Knittelfelder, O., Scherz, B., Eichmann, T.O., Heier, C., Grumet, L. et al (2015)  *$\alpha/\beta$  Hydrolase domain-containing 6 (ABHD6) degrades the late endosomal/lysosomal lipid bis(monoacylglycerol)phosphate* J. Biol. Chem., **290**, 29869-29881

#### **Neogalactosylalbumin uptake**

Billington, D., Maltby, P.J. Jackson, A.P. and Graham, J.M. (1998) *Dissection of hepatic receptor-mediated endocytic pathways using self-generated gradients of iodixanol (OptiPrep)* Anal. Biochem., **258**, 251-258

### **Sialidase**

Lukong, K.E., Seyrantepe, V., Landry, K., Trudel, S., et al (2001) *Intracellular distribution of lysosomal sialidase is controlled by the internalisation signal in its cytoplasmic tail* J. Biol. Chem., **276**, 46172-46181

### **Lung cells**

Su, W-C. and Lai, M.M.C. (2018) *Quantitative RT-PCR analysis of influenza virus endocytic escape* In *Influenza Virus Methods and Protocols*, Meth. Mol. Biol., vol. **1836** (ed. Yamauchi, Y.) Springer Science+Business Media LLC, New York 2018, pp 185-194

Yuan, L., Kenny, S.J., Hemmati, J., Xu, K. Schekman, R. (2018) *TANGO1 and SEC12 are copackaged with procollagen I to facilitate the generation of large COPII carriers* Proc. Natl. Acad. Sci. USA **115**, E12255-E12264

### **Lymphocytes, leukaemia and lymphoma cells**

#### **Anaplasma infection/Beclin-1**

Niu, H., Xiong, Q., Yamamoto, A., Hayashi-Nishino, M. et al (2012) *Autophagosomes induced by a bacterial Beclin 1 binding protein facilitate obligatory intracellular infection* Proc. Natl. Acad. Sci. USA, **109**, 20800-20807

#### **Antigen processing**

Vaithilingam, A., Lai, N.Y., Duong, E., Boucau, J., et al (2013) *A simple methodology to assess endolysosomal protease activity involved in antigen processing in human primary cells* BMC Cell Biol., **14**: 35

#### **Cysteine proteases**

Kung Sutherland, M.S., Sanderson, R.J., Gordon, K.A., Andreyka, J., Cerveny, C.G., Yu, C., Lewis, T.S., Meyer, D.L., Zabinski, R.F., Doronina, S.D., Senter, P.D., Law, C-L., Wahl, A.F. (2006) *Lysosomal trafficking and cysteine protease metabolism confer target-specific cytotoxicity by peptide-linked anti-CD30-auristatin conjugates* J. Biol. Chem., **281**, 10540-10547

#### **Granzyme B**

Baginska, J., Viry, E., Berchem, G., Poli, A., et al (2013) *Granzyme B degradation by autophagy decreases tumor cell susceptibility to natural killer-mediated lysis under hypoxia* Proc. Natl. Acad. Sci. USA, **110**, 17450-17455

#### **Interferon receptor (Type-1)**

Payelle-Brogard, B. and Pellegrini, S. (2010) *Biochemical monitoring of the early endocytic traffic of the type I interferon receptor* J. Interferon Cytokine Res., **30**, 89-98

### **Lymphoma-targeting antibody-polymer conjugates**

Berguig, G.Y., Convertine, A.J., Shi, J., Palanca-Wessels, M.C., et al (2012) *Intracellular delivery and trafficking dynamics of a lymphoma-targeting antibody-polymer conjugate* Mol. Pharm., **9**, 3506–3514

### **Lytic granules**

Tuli, A., Thiery, J., James, A.M., Michelet, X., et al (2013) *Arf-like GTPase Arl8b regulates lytic granule polarization and natural killer cell-mediated cytotoxicity* Mol. Biol. Cell, **24**, 3721-3735

### **Macrophages**

#### **Derlin-dependent proteins**

Schaheen, B., Dang, H. and Fares, H. (2009) *Derlin-dependent accumulation of integral membrane proteins at cell surfaces* J. Cell Sci., **122**, 228-2239

#### **Leishmania-infected**

Chakrabarty, T. and Bhattacharyya, S.N. (2017) *Leishmania donovani restricts mitochondrial dynamics to enhance miRNP stability and target RNA repression in host macrophages* Mol. Biol. Cell, **28**, 2091-2105

#### **Leucine-rich repeat kinase2**

Schapansky, J., Nardozi, J.D., Felizia, F. and LaVoie, M.J. (2014) *Membrane recruitment of endogenous LRRK2 precedes its potent regulation of autophagy* Hum. Mol. Genet., **23**, 4201–4214

### **Methodology**

Gibbins, D.J. (2011) *Continuous density gradients to study argonaute and GW182 complexes associated with the endocytic pathway* In Argonaute Proteins: Methods and Protocols, Methods Mol. Biol., **725**, (ed. Hobman, T.C. and Duchaine, T.F.) Springer Science+Business Media, pp 63-76

### **miRNA**

Chakrabarty, T. and Bhattacharyya, S.N. (2017) *Leishmania donovani restricts mitochondrial dynamics to enhance miRNP stability and target RNA repression in host macrophages* Mol. Biol. Cell, **28**, 2091-2105

Gibbins, D.J., Ciaudo, C., Erhardt, M. and Voinnet, O. (2009) *Multivesicular bodies associate with components of miRNA effector complexes and modulate miRNA activity* Nat. Cell Biol., **11**, 1143-1149

### **Phagosomes**

Romao, S., Gasser, N., Becker, A.C., Guhl, B., Bajagic, M., Vanoaica, D., Ziegler, U., Roesler, J., Dengjel, J., Reichenbach, J. and Münz, C. (2013) *Autophagy proteins stabilize pathogen-containing phagosomes for prolonged MHC II antigen processing* J. Cell Biol., **203**, 757–766

### **Toll-like receptors**

Schapansky, J., Nardozi, J.D., Felizia, F. and LaVoie, M.J. (2014) *Membrane recruitment of endogenous LRRK2 precedes its potent regulation of autophagy* Hum. Mol. Genet., **23**, 4201–4214

### **Yersinia pestis V antigen**

DiMezzo, T.L., Ruthel, G., Brueggemann, E.E., Hines, et al (2009) *In vitro intracellular trafficking of virulence antigen during infection by Yersinia pestis* PLoS One, **4**:e6281

### **MCF-7 cells (human mammary epithelial tumor)**

#### **Redox-active endosomes**

Shahin, W.S. and Engelhardt, J.F. (2019) *Isolation of redox-active endosomes (Redoxosomes) and assessment of NOX activity* In NADPH Oxidases: Methods and Protocols, Methods in Molecular Biology, vol. **1982** (ed. Knaus, U.G. and Thomas L.), Springer Science+Business Media LLC New York, pp 461-472

### **MDCK cells**

#### **Transferrin receptor**

Sheff, D.R., Daro, E.A., Hull, M. and Mellmann, I. (1999) *The receptor recycling pathway contains two distinct populations of early endosomes with different sorting functions* J. Cell Biol., **145**, 123-139

### **Virus internalization**

Su, W.-C., Chen, Y.-C., Tseng, C.-H., Hsu, P.-W.-C., et al (2013) *Pooled RNAi screen identifies ubiquitin ligase Itch as crucial for influenza A virus release from the endosome during virus entry* Proc. Natl. Acad. Sci. USA, **110**, 17516–17521

## Monocytic cells

### Autophagosomes

**Kimura, T.**, Jia, J., Kumar, S., Choi, S.W., Gu, Y., Mudd, M., Dupont, N., Jiang, S., et al (2017) *Dedicated SNAREs and specialized TRIM cargo receptors mediate secretory autophagy* EMBO J., **36**, 42-60

## Mouse embryo fibroblasts

### Autophagy

**Ganley, I.G.**, Wong, P-M., Gammoh, N. and Jiang, X. (2011) *Distinct autophagosomal-lysosomal fusion mechanism revealed by thapsigargin-induced autophagy arrest* Mol. Cell, **42**, 731–743

**Gui, X.**, Yang, H., Li, T., Tan, X., Shi, P., Li, M., Du, F., Chen, Z.J. (2019) *Autophagy induction via STING trafficking is a primordial function of the cGAS pathway* Nature **567**, 262-285

**Young, M.M.**, Takahashi, Y., Fox, T.E., Yun, J.K., Kester, M. and Wang, H-G. (2016) *Sphingosine kinase 1 cooperates with autophagy to maintain endocytic membrane trafficking* Cell Rep., **17**, 1532–1545

**Zhang, M.** and Ge, L. (2019) *Cell-free reconstitution of autophagic membrane formation* In Autophagy: Methods and Protocols, Methods in Molecular Biology, vol. **1880** (ed. Ktistakis, N. and Florey, O.), Springer Science+Business Media LLC New York, pp 135-148

### Insulin receptor

**Pedersen, D.J.**, Diakanastasis, B., Stöckli, J., Schmitz-Peiffer, C. (2013) *Protein kinase C $\epsilon$  modulates insulin receptor localization and trafficking in mouse embryonic fibroblasts* PLoS One, **8**: e58046

### Metal (copper) transporter

**Öhrvik, H.**, Nose, Y., Wood, L.K., Kim, B-E., et al (2013) *Ctr2 regulates biogenesis of a cleaved form of mammalian Ctr1 metal transporter lacking the copper- and cisplatin-binding ecto-domain* Proc. Natl. Acad. Sci. USA, **110**, E4279-E4288

**Öhrvik, H.**, Logeman, B., Turk, B., Reinhecke, T. I and Thiele, D.J. (2016) *Cathepsin protease controls copper and cisplatin accumulation via cleavage of the Ctr1 metal-binding ectodomain* J. Biol. Chem., **291**, 13905–13916

### Sphingosine kinase

**Young, M.M.**, Takahashi, Y., Fox, T.E., Yun, J.K., Kester, M. and Wang, H-G. (2016) *Sphingosine kinase 1 cooperates with autophagy to maintain endocytic membrane trafficking* Cell Rep., **17**, 1532–1545

## Nerve tissue/neurons (see also SH-SY5Y cells)

### Growth factor receptors

**Weible II, M.W.**, Ozsarac, N., Grimes, M.L. and Hendry, I.A. (2004) *Comparison of nerve terminal events in vivo effecting retrograde transport of vesicles containing neurotrophins or synaptic vesicle components* J. Neurosci. Res., **75**, 771-781

### Neuronal signalling

**Ammar, M.R.**, Thahouly, T., Hanauer, A., Stegner, D., Nieswandt, B. and Vitale, N. (2015) *PLD1 participates in BDNF-induced signalling in cortical neurons* Sci. Rep., **5**: 14778

## Neuroblastoma cells

### Alzheimer's disease

**Burg, V.K.**, Grimm, H.S., Rothhaar, T.L., Grösgen, S., et al (2013) *Plant sterols the better cholesterol in Alzheimer's disease? A mechanistical study* J. Neurosci., **33**, 16072-16087

**Grimm, M.O.W.**, Stahlmann, C.P., Mett, J., Haupenthal, V.J., Zimmer, V.C., Lehmann, J., Hundsdorfer, B., Endres, K., Grimm, H.S. and Hartmann, T. (2015) *Vitamin E: curse or benefit in Alzheimer's disease? A systematic investigation of the impact of  $\alpha$ -,  $\gamma$ - and  $\delta$ -tocopherol on A $\beta$  generation and degradation in neuroblastoma cells* J. Nutr. Health Aging, **19**, 646-654

**Kim, N-Y.**, Cho, M-H., Won, S-H., Kang, H-J., Yoon, S-Y. and Kim, D-H. (2017) *Sorting nexin-4 regulates  $\beta$ -amyloid production by modulating  $\beta$ -site-activating cleavage enzyme-1* Alzheimer's Res. Ther., **9**: 4

### vATPase

**Kratzke, M.**, Candiello, E., Schmidt, B., Jahn, O. and Schu, P. (2015) *AP-1/ $\sigma$ 1B-dependent SV protein recycling is regulated in early endosomes and is coupled to AP-2 endocytosis* Mol. Neurobiol., **52**, 142–161



### Autophagosomes

Osaka, M., Ito, D. and Suzuki, N. (2016) *Disturbance of proteasomal and autophagic protein degradation pathways by amyotrophic lateral sclerosis-linked mutations in ubiquilin 2* Biochem. Biophys. Res. Comm., **472**, 324-331

### Dopamine receptor

Wiesinger, J.A., Buwen, J.P., Cifelli, C.J., Unger, E.L., et al (2007) *Down-regulation of dopamine transporter by iron chelation in vitro is mediated by altered trafficking, not synthesis* J. Neurochem., **100**, 167-179

### PrP<sup>Sc</sup> transport in prion infected cells

Yamasaki, T., Suzuki, A., Hasebe, R. and Horiuchi, M. (2018) *Retrograde transport by clathrin-coated vesicles is involved in intracellular transport of PrP<sup>Sc</sup> in persistently prion-infected cells* Sci. Rep., **8**: 1224

### Src homology 3

Xin, X., Gfeller, D., Cheng, J., Tonikian, R., et al (2013) *SH3 interactome conserves general function over specific form* Mol. Systems Biol., **9**: 652

### $\alpha$ -Synuclein

Dettmer, U., Ramalingam, N., von Saucken, V.E., Kim, T-E., Newman, A.J., Terry-Kantor, E., Nuber, S., Ericsson, M. et al (2017) *Loss of native  $\alpha$ -synuclein multimerization by strategically mutating its amphipathic helix causes abnormal vesicle interactions in neuronal cells* Hum. Mol. Genetics, **26**, 3466–3481

### Transferrin receptor

Wiesinger, J.A., Buwen, J.P., Cifelli, C.J., Unger, E.L., et al (2007) *Down-regulation of dopamine transporter by iron chelation in vitro is mediated by altered trafficking, not synthesis* J. Neurochem., **100**, 167-179

### NRK cells

#### Caveolin

Pol, A., Lu, A., Pons, M., Peiro, S., et al (2000) *Epidermal growth factor-mediated caveolin recruitment to early endosomes and MAPK activation* J. Biol. Chem., **275**, 30566-30572

#### Nanotube formation

Su, Q.P., Du, W., Ji, Q., Xue, B., Jiang, D., Zhu, Y., Lou, J., Yu, L. and Sun, Y. (2016) *Vesicle size regulates nanotube formation in the cell* Sci. Rep., **6**: 24002

### Osteosarcoma cells

#### Autophagy

Merrill, N.M., Schipper, J.L., Kames, J.B., Kauffman, A.L., Martin, K.R. and MacKeigan, J.P. (2017) *PI3K-C2a knockdown decreases autophagy and maturation of endocytic vesicles* PLoS One, **12**: e0184909

### Proteomics

Geladaki, A., Britovšek, N.K., Breckels, L.M., Smith, T.S., Vennard, O.L., Mulvey, C.M., Crook, O.M., Gatto, L. and Lilley, K.S. (2019) *Combining LOPIT with differential ultracentrifugation for high-resolution spatial proteomics* Nat. Comm., **10**: 331

### Pancreas

#### Pancreatitis

Mareninova, O.A., Yakubov, I., Gukovsky, I and Gukovskaya, A.S. (2018) *Disordering of endo-lysosomal system in pancreatitis* Circulation, **138**, Suppl.1, abstr.

### PC12 cells

#### Neurotrophin receptor

Lin, D.C., Quevedo, C., Brewer, N.E., Bell, A., et al (2006) *APPL1 associates with TrkA and GIPC1 and is required for nerve growth factor-mediated signal transduction* Mol. Cell. Biol., **26**, 8928-8941

### Receptors (various)

McCaffrey, G., Welker, J., Scott, J., van der Salm, L., et al (2009) *High-resolution fractionation of signaling endosomes containing different receptors* Traffic, **10**, 938–950

### **Growth factor receptors**

Li, Y., Chin, L-S., Levey, A.L. and Li, L. (2002) *Huntingtin-associated protein 1 interacts with hepatocyte growth factor-regulated tyrosine kinase substrate and functions in endosomal trafficking* J. Biol. Chem., **277**, 28212-28221

Pryor, S., McCaffrey, G., Young, L.R. and Grimes, M.L. (2012) *NGF causes TrkA to specifically attract microtubules to lipid rafts* PLoS One **7**: e35163

### **Neurotrophin receptor**

Fu, X., Zang, K., Zhou, Z., Reichardt, L.F., et al (2010) *Retrograde neurotrophic signaling requires a protein interacting with receptor tyrosine kinases via C2H2 zinc fingers* Mol. Biol. Cell, **21**, 36-49

### **Peritoneal mesothelial cells**

#### **Vacuolar trafficking**

Oba-Yabana, I., Mori, T., Takahashi, C., Hirose, T., Ohsaki, Y., Kinugasa, S., Muroya, Y., Sato, E. et al (2018) *Acidic organelles mediate TGF- $\beta$ 1-induced cellular fibrosis via (pro)renin receptor and vacuolar ATPase trafficking in human peritoneal mesothelial cells* Sci. Rep., **8**: 2648

### **PS120 cells**

#### **Gradient methodology**

Li, X. and Donowitz, M. (2008) *Fractionation of subcellular membrane vesicles of epithelial and non-epithelial cells by OptiPrep™ density gradient ultracentrifugation* In Methods Mol. Biol., **440**, Exocytosis and Endocytosis (ed. Ivanov, A.I.) Humana Press, Totowa, NJ, pp 97-110

### **SH-SY5Y cells**

#### **Parkinson's disease**

Yoshida, S., Hasegawa, T., Suzuki, M., Sugeno, N., Kobayashi, J., Ueyama, M., Fukuda, M., Ido-Fujibayashi, A., Sekiguchi, K. et al (2018) *Parkinson's disease-linked DNAJC13 mutation aggravates alpha-synuclein-induced neurotoxicity through perturbation of endosomal trafficking* Hum. Mol. Genet., **27**, 823–836

### **T cells**

#### **TCR signaling**

Saveanu, L., Zucchetti, A.E., Evnouchidou, I., Ardouin, L. and Hivroz, C. (2019) *Is there a place and role for endocytic TCR signaling?* Immunolog. Rev. **291**, 57–74

### **Extracellular vesicles**

Chiou, N-T., Kageyama, R. and Ansel, K.M. (2018) *Selective export into extracellular vesicles and function of tRNA fragments during T cell activation* Cell Rep., **25**, 3356–3370

### **U2OS cells**

#### **Spinocerebellar ataxia (ER/endosomal/lysosomal system)**

Bryant, D., Liu, Y., Datta, S., Hariri, H., Seda, M., Anderson, G., Peskett, E., Demetriou, C., Sousa, S. et al (2018) *SNX14 mutations affect endoplasmic reticulum associated neutral lipid metabolism in autosomal recessive spinocerebellar ataxia 20* Hum. Mol. Genet., **27**, 1927-1940

### **U251 cells**

#### **Autophagy**

Luo, G., Sun, Y., Feng, R., Zhao, Q. and Wen, T. (2018) *ARL3 subcellular localization and its suspected role in autophagy* Biochimie, **154**, 187-193

### **Yeast**

#### **Multivesicular body**

Mitsui, K., Koshimura, Y., Yoshikawa, Y., Matsushita, M., et al (2011) *The endosomal Na<sup>+</sup>/H<sup>+</sup> exchanger contributes to multivesicular body formation by regulating the recruitment of ESCRT-0 Vps27p to the endosomal membrane* J. Biol. Chem., **286**, 37625–37638